

Bibliographie

- Al Dahouk, S., Köhler, S., Occhialini, A., Jiménez de Bagüés, M. P., Hammerl, J. A., Eisenberg, T., Vergnaud, G., Cloeckert, A., Zygmunt, M. S., Whatmore, A. M., Melzer, F., Drees, K. P., Foster, J. T., Wattam, A. R., & Scholz, H. C. (2017). *Brucella* spp. Of amphibians comprise genomically diverse motile strains competent for replication in macrophages and survival in mammalian hosts. *Scientific Reports*, 7(1), 44420. <https://doi.org/10.1038/srep44420>
- Alford, R. A., & Richards, S. J. (1999). Global Amphibian Declines: A Problem in Applied Ecology. *Annual Review of Ecology and Systematics*, 30(1), 133-165. <https://doi.org/10.1146/annurev.ecolsys.30.1.133>
- Allender, M. C., Baker, S., Britton, M., & Kent, A. D. (2018). Snake fungal disease alters skin bacterial and fungal diversity in an endangered rattlesnake. *Scientific Reports*, 8(1), Article 1. <https://doi.org/10.1038/s41598-018-30709-x>
- Allender, M. C., Baker, S., Wylie, D., Loper, D., Dreslik, M. J., Phillips, C. A., Maddox, C., & Driskell, E. A. (2015). Development of Snake Fungal Disease after Experimental Challenge with *Ophidiomyces ophiodiicola* in Cottonmouths (*Agkistrodon piscivorus*). *PLOS ONE*, 10(10), e0140193. <https://doi.org/10.1371/journal.pone.0140193>
- Allender, M. C., Dreslik, M., Wylie, S., Phillips, C., Wylie, D. B., Maddox, C., Delaney, M. A., & Kinsel, M. J. (2011). *Chrysosporium* sp. Infection in Eastern Massasauga Rattlesnakes. *Emerging Infectious Diseases*, 17(12), 2383-2384. <https://doi.org/10.3201/eid1712.110240>
- Allender, M. C., Raudabaugh, D. B., Gleason, F. H., & Miller, A. N. (2015). The natural history, ecology, and epidemiology of *Ophidiomyces ophiodiicola* and its potential impact on free-ranging snake populations. *Fungal Ecology*, 17, 187-196. <https://doi.org/10.1016/j.funeco.2015.05.003>
- Ariel, E., Kielgast, J., Svart, H., Larsen, K., Tapiovaara, H., Bang Jensen, B., & Holopainen, R. (2009). Ranavirus in wild edible frogs *Pelophylax kl. Esculentus* in Denmark. *Diseases of aquatic organisms*, 85, 7-14. <https://doi.org/10.3354/dao02060>
- Baker, R. E., Mahmud, A. S., Miller, I. F., Rajeev, M., Rasambainarivo, F., Rice, B. L., Takahashi, S., Tatem, A. J., Wagner, C. E., Wang, L.-F., Wesolowski, A., & Metcalf, C. J. E. (2022). Infectious disease in an era of global change. *Nature Reviews Microbiology*, 20(4), 193-205. <https://doi.org/10.1038/s41579-021-00639-z>
- Baker, S., Haynes, E., Stanford, K., Christman, M., Conley, K., Jr, S., Ossiboff, R., Lobato, D., & Allender, M. (2019). Case Definition and Diagnostic Testing for Snake Fungal Disease. *Herpetological Review*, 50, 279-285.
- Baker, S. J., Niemiller, M. L., Stites, A. J., Ash, K. T., Davis, Mark. A., Dreslik, M. J., & Phillips, C. A. (2020). Evaluation of environmental DNA to detect *Sistrurus catenatus* and *Ophidiomyces ophiodiicola* in crayfish burrows. *Conservation Genetics Resources*, 12(1), 13-15. <https://doi.org/10.1007/s12686-018-1053-9>
- Baláž, V., Vörös, J., Civiš, P., Vojar, J., Hettyey, A., Sós, E., Dankovics, R., Jehle, R., Christiansen, D. G., Clare, F., Fisher, M. C., Garner, T. W. J., & Bielby, J. (2014). Assessing Risk and Guidance on Monitoring of *Batrachochytrium dendrobatidis* in Europe through Identification of Taxonomic Selectivity of Infection. *Conservation Biology*, 28(1), 213-223. <https://doi.org/10.1111/cobi.12128>
- Ballouard, J., Bonnet, X., Jourdan, J., Martinez-Silvestre, A., Gagno, S., Fertard, B., & Caron, S. (2022). First detection of herpesvirus and prevalence of mycoplasma infection in

- free-ranging Hermann's tortoises (*Testudo hermanni*), and in potential pet vectors. *Peer Community Journal*, 2. <https://doi.org/10.24072/pcjournal.81>
- Balseiro, A., Dalton, K., del Cerro, A., Marquez, I., Cunningham, A., Parra, F., Prieto, J., & Casais, R. (2009). Pathology, isolation and molecular characterisation of a ranavirus from the common midwife toad *Alytes obstetricans* on the Iberian Peninsula. *Diseases of aquatic organisms*, 84, 95-104. <https://doi.org/10.3354/dao02032>
- Banks, B., & Beebee, T. J. C. (1988). Reproductive Success of Natterjack Toads *Bufo calamita* in Two Contrasting Habitats. *Journal of Animal Ecology*, 57(2), 475-492. <https://doi.org/10.2307/4919>
- Bates, K. A., Clare, F. C., O'Hanlon, S., Bosch, J., Brookes, L., Hopkins, K., McLaughlin, E. J., Daniel, O., Garner, T. W. J., Fisher, M. C., & Harrison, X. A. (2018). Amphibian chytridiomycosis outbreak dynamics are linked with host skin bacterial community structure. *Nature Communications*, 9(1), 693. <https://doi.org/10.1038/s41467-018-02967-w>
- Bayley, A. E., Hill, B. J., & Feist, S. W. (2013). Susceptibility of the European common frog *Rana temporaria* to a panel of ranavirus isolates from fish and amphibian hosts. *Diseases of Aquatic Organisms*, 103(3), 171-183. <https://doi.org/10.3354/dao02574>
- Beattie, R. C., Aston, R. J., & Milner, A. G. P. (1991). A Field Study of Fertilization and Embryonic Development in the Common Frog (*Rana temporaria*) with Particular Reference to Acidity and Temperature. *Journal of Applied Ecology*, 28(1), 346-357. <https://doi.org/10.2307/2404134>
- Berger, L., Hyatt, A. D., Speare, R., & Longcore, J. E. (2005). Life cycle stages of the amphibian chytrid *Batrachochytrium dendrobatidis*. *Diseases of Aquatic Organisms*, 68, 51-63. <https://doi.org/10.3354/dao068051>
- Berger, L., Speare, R., Daszak, P., Green, D. E., Cunningham, A. A., Goggin, C. L., Slocombe, R., Ragan, M. A., Hyatt, A. D., McDonald, K. R., Hines, H. B., Lips, K. R., Marantelli, G., & Parkes, H. (1998). Chytridiomycosis causes amphibian mortality associated with population declines in the rain forests of Australia and Central America. *Proceedings of the National Academy of Sciences*, 95(15), 9031-9036. <https://doi.org/10.1073/pnas.95.15.9031>
- Berger, L., Volp, K., Mathews, S., Speare, R., & Timms, P. (1999). *Chlamydia pneumoniae* in a Free-Ranging Giant Barred Frog (*Mixophyes iteratus*) from Australia. *Journal of Clinical Microbiology*, 37(7), 2378-2380. <https://doi.org/10.1128/JCM.37.7.2378-2380.1999>
- Bernardo-Cravo, A. P., Schmeller, D. S., Chatzinotas, A., Vredenburg, V. T., & Loyau, A. (2020). Environmental factors and host microbiomes shape host-pathogen dynamics. *Trends in Parasitology*, 36(7), 616-633. <https://doi.org/10.1016/j.pt.2020.04.010>
- Blanvillain, G., Lorch, J., Joudrier, N., Bury, S., Cuenot, T., Franzen, M., Freiria, F. M., Guiller, G., Halpern, B., Kolanek, A., Kurek, K., Lourdais, O., Michon, A., Musilová, R., Schweiger, S., Szulc, B., Ursenbacher, S., Zinenko, O., & Hoyt, J. R. (2022). Hotspots for snake fungal disease across Europe are maintained by host and pathogen identity (p. 2022.11.10.515990). *bioRxiv*. <https://doi.org/10.1101/2022.11.10.515990>
- Blooi, M., Laking, A. E., Martel, A., Haesebrouck, F., Jocque, M., Brown, T., Green, S., Vences, M., Bletz, M. C., & Pasmans, F. (2017). Host niche may determine disease-driven extinction risk. *PLOS ONE*, 12(7), e0181051. <https://doi.org/10.1371/journal.pone.0181051>

- Blumer, C., Zimmermann, D. R., Weilenmann, R., Vaughan, L., & Pospischil, A. (2007). Chlamydiae in Free-Ranging and Captive Frogs in Switzerland. *Veterinary Pathology*, 44(2), 144-150. <https://doi.org/10.1354/vp.44-2-144>
- Boissinot, A., & Migault, L. (2016). Observations de *Cyclades communes Sphaerium corneum* (Linnaeus, 1758) sur des Tritons marbrés *Triturus marmoratus* (Latreille, 1800). 157, 52-54.
- Bosch, J., Martínez-Solano, I., & García-París, M. (2001). Evidence of a chytrid fungus infection involved in the decline of the common midwife toad (*Alytes obstetricans*) in protected areas of central Spain. *Biological conservation*, 97(3), 331-337.
- Bosch, J., Mora-Cabello de Alba, A., Marquínez, S., Price, S. J., Thumsová, B., & Bielby, J. (2021). Long-Term Monitoring of Amphibian Populations of a National Park in Northern Spain Reveals Negative Persisting Effects of Ranavirus, but Not *Batrachochytrium dendrobatidis*. *Frontiers in Veterinary Science*, 8, 645491. <https://doi.org/10.3389/fvets.2021.645491>
- Boutilier, R., Stiffler, D., & Toews, D. (1992). Exchange of respiratory gases, ions, and water in amphibious and aquatic amphibians. In M. E. Feder & W. W. Burggren, *Environmental physiology of the amphibians*, Feder, M.E., Burggren, W.W. (Eds) (p. 81-124). Univ. of Chicago Press.
- Boyle, D. G., Boyle, D. B., Olsen, V., Morgan, J. A. T., & Hyatt, A. D. (2004). Rapid quantitative detection of chytridiomycosis (*Batrachochytrium dendrobatidis*) in amphibian samples using real-time Taqman PCR assay. *Diseases of Aquatic Organisms*, 60(2), 141-148. <https://doi.org/doi:10.3354/dao060141>
- Bradley, P. W., Gervasi, S. S., Hua, J., Cothran, R. D., Relyea, R. A., Olson, D. H., & Blaustein, A. R. (2015). Differences in sensitivity to the fungal pathogen *Batrachochytrium dendrobatidis* among amphibian populations. *Conservation Biology*, 29(5), 1347-1356. <https://doi.org/10.1111/cobi.12566>
- Brannelly, L., McMahon, T., Hinton, M., Lenger, D., & Richards-Zawacki, C. (2015). *Batrachochytrium dendrobatidis* in natural and farmed Louisiana crayfish populations: Prevalence and implications. *Diseases of Aquatic Organisms*, 112(3), 229-235. <https://doi.org/10.3354/dao02817>
- Briggs, C. J., Knapp, R. A., & Vredenburg, V. T. (2010). Enzootic and epizootic dynamics of the chytrid fungal pathogen of amphibians. *Proceedings of the National Academy of Sciences*, 107(21), 9695-9700. <https://doi.org/10.1073/pnas.0912886107>
- Brucker, R. M., Harris, R. N., Schwantes, C. R., Gallaher, T. N., Flaherty, D. C., Lam, B. A., & Minbiole, K. P. C. (2008). Amphibian Chemical Defense: Antifungal Metabolites of the Microsymbiont *Janthinobacterium lividum* on the Salamander *Plethodon cinereus*. *Journal of Chemical Ecology*, 34(11), 1422-1429. <https://doi.org/10.1007/s10886-008-9555-7>
- Brumpt, E. (1934). Recherches expérimentales sur la biologie de la *Lucilia bufonivora*. *Annales de Parasitologie Humaine et Comparée*, 12(2), 81-97. <https://doi.org/10.1051/parasite/1934122081>
- Brunner, J. L., Olson, D. H., Gray, M. J., Miller, D. L., & Duffus, A. L. J. (2021). Global patterns of ranavirus detections. *FACETS*, 6, 912-924. <https://doi.org/10.1139/facets-2020-0013>
- Buck, J. C., Truong, L., & Blaustein, A. R. (2011). Predation by zooplankton on *Batrachochytrium dendrobatidis*: Biological control of the deadly amphibian chytrid fungus? *Biodiversity and Conservation*, 20(14), 3549-3553. <https://doi.org/10.1007/s10531-011-0147-4>

- Burns, T. J., Scheele, B. C., Brannelly, L. A., Clemann, N., Gilbert, D., & Driscoll, D. A. (2021). Indirect terrestrial transmission of amphibian chytrid fungus from reservoir to susceptible host species leads to fatal chytridiomycosis. *Animal Conservation*, 24(4), 602-612. <https://doi.org/10.1111/acv.12665>
- Campbell, L. J., Burger, J., Zappalorti, R. T., Bunnell, J. F., Winzeler, M. E., Taylor, D. R., & Lorch, J. M. (2021). Soil reservoir dynamics of ophidiomyces ophidiicola, the causative agent of snake fungal disease. *Journal of Fungi*, 7(6), 461. <https://doi.org/10.3390/jof7060461>
- Campbell, L. J., Pawlik, A. H., & Harrison, X. A. (2020). Amphibian ranaviruses in Europe: Important directions for future research. *FACETS*, 5(1), 598-614. <https://doi.org/10.1139/facets-2020-0007>
- Chambouvet, A., Gower, D. J., Jirků, M., Yabsley, M. J., Davis, A. K., Leonard, G., Maguire, F., Doherty-Bone, T. M., Bittencourt-Silva, G. B., Wilkinson, M., & Richards, T. A. (2015). Cryptic infection of a broad taxonomic and geographic diversity of tadpoles by Perkinsea protists. *Proceedings of the National Academy of Sciences of the United States of America*, 112(34), E4743-E4751.
- Chen, M. Y., Alexiev, A., & McKenzie, V. J. (2022). Bacterial Biofilm Thickness and Fungal Inhibitory Bacterial Richness Both Prevent Establishment of the Amphibian Fungal Pathogen *Batrachochytrium dendrobatidis*. *Applied and Environmental Microbiology*, 88(5), e01604-21. <https://doi.org/10.1128/aem.01604-21>
- Cheng, T. L., Rovito, S. M., Wake, D. B., & Vredenburg, V. T. (2011). Coincident mass extirpation of neotropical amphibians with the emergence of the infectious fungal pathogen *Batrachochytrium dendrobatidis*. *Proceedings of the National Academy of Sciences*, 108(23), 9502-9507. <https://doi.org/10.1073/pnas.1105538108>
- Clare, F. C., Halder, J. B., Daniel, O., Bielby, J., Semenov, M. A., Jombart, T., Loyau, A., Schmeller, D. S., Cunningham, A. A., & Rowcliffe, M. (2016). Climate forcing of an emerging pathogenic fungus across a montane multi-host community. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 371(1709), 20150454.
- Clark, R. W., Marchand, M. N., Clifford, B. J., Stechert, R., & Stephens, S. (2011). Decline of an isolated timber rattlesnake (*Crotalus horridus*) population: Interactions between climate change, disease, and loss of genetic diversity. *Biological Conservation*, 144(2), 886-891. <https://doi.org/10.1016/j.biocon.2010.12.001>
- Clulow, S., Gould, J., James, H., Stockwell, M., Clulow, J., & Mahony, M. (2018). Elevated salinity blocks pathogen transmission and improves host survival from the global amphibian chytrid pandemic: Implications for translocations. *Journal of Applied Ecology*, 55(2), 830-840. <https://doi.org/10.1111/1365-2664.13030>
- Conan, A. (2017). *Analyse longitudinale de la mortalité d'amphibiens dans le Parc Naturel Régional du Haut-Jura* (p. 30). École Pratique des Hautes Études, Centre d'Écologie Fonctionnelle et Évolutive, Parc Naturel Régional du Haut-Jura.
- Costa, S., & Lopes, I. (2022). Saprolegniosis in Amphibians: An Integrated Overview of a Fluffy Killer Disease. *Journal of Fungi*, 8(5), Article 5. <https://doi.org/10.3390/jof8050537>
- Courtois, E. A., Loyau, A., Bourgoïn, M., & Schmeller, D. S. (2017). Initiation of *Batrachochytrium dendrobatidis* infection in the absence of physical contact with infected hosts – a field study in a high altitude lake. *Oikos*, 126(6), 843-851. <https://doi.org/10.1111/oik.03462>

- Cunningham, A. A., Beckmann, K., Perkins, M., Fitzpatrick, L., Cromie, R., Redbond, J., O'Brien, M. F., Ghosh, P., Shelton, J., & Fisher, M. C. (2015). Emerging disease in UK amphibians. *Veterinary Record*, 176(18), 468-468. <https://doi.org/10.1136/vr.h2264>
- Cunningham, A. A., Daszak, P., & Rodriguez, J. P. (2003). Pathogen pollution: Defining a parasitological threat to biodiversity conservation. *J Parasitol*, 89(Suppl), S78-S83.
- Cunningham, A. A., Langton, T. E. S., Bennett, P. M., Lewin, J. F., Drury, S. E. N., Gough, R. E., & MacGregor, S. K. (1996). Pathological and microbiological findings from incidents of unusual mortality of the common frog (*Rana temporaria*). *Philosophical Transactions of the Royal Society of London. Series B: Biological Sciences*, 351(1347), 1539-1557. <https://doi.org/10.1098/rstb.1996.0140>
- Dang, T., Searle, C., & Blaustein, A. (2017). Virulence variation among strains of the emerging infectious fungus *Batrachochytrium dendrobatidis* (Bd) in multiple amphibian host species. *Diseases of Aquatic Organisms*, 124(3), 233-239. <https://doi.org/10.3354/dao03125>
- Daszak, P., Berger, L., Cunningham, A. A., Hyatt, A. D., Green, D. E., & Speare, R. (1999). Emerging Infectious Diseases and Amphibian Population Declines. *Emerging Infectious Diseases*, 5(6), 735-748. <https://doi.org/10.3201/eid0506.990601>
- Daszak, P., Cunningham, A. A., & Hyatt, A. D. (2000). Emerging Infectious Diseases of Wildlife—Threats to Biodiversity and Human Health. *Science*, 287(5452), 443-449. <https://doi.org/10.1126/science.287.5452.443>
- Daszak, P., Cunningham, A. A., & Hyatt, A. D. (2003). Infectious disease and amphibian population declines. *Diversity and Distributions*, 9(2), 141-150. <https://doi.org/10.1046/j.1472-4642.2003.00016.x>
- Davy, C. M., Shirose, L., Campbell, D., Dillon, R., McKenzie, C., Nemeth, N., Braithwaite, T., Cai, H., Degazio, T., Dobbie, T., Egan, S., Fotherby, H., Litzgus, J. D., Manorome, P., Marks, S., Paterson, J. E., Sigler, L., Slavic, D., Slavik, E., ... Jardine, C. (2021). Revisiting Ophidiomycosis (Snake Fungal Disease) After a Decade of Targeted Research. *Frontiers in Veterinary Science*, 8, 665805. <https://doi.org/10.3389/fvets.2021.665805>
- De Castro, F., & Bolker, B. (2004). Mechanisms of disease-induced extinction: Mechanisms of disease-induced extinction. *Ecology Letters*, 8(1), 117-126. <https://doi.org/10.1111/j.1461-0248.2004.00693.x>
- De Troyer, N., Bruneel, S., Lock, K., Greener, M. S., Facq, E., Deknock, A., Martel, A., Pasmans, F., & Goethals, P. (2021). Ratio-dependent functional response of two common Cladocera present in farmland ponds to *Batrachochytrium dendrobatidis*. *Fungal Ecology*, 53, 101089. <https://doi.org/10.1016/j.funeco.2021.101089>
- Dejean, T., Miaud, C., & Ouellet, M. (2010). *La chytridiomycose—Une maladie émergente des amphibiens*. 20.
- Densmore, C. L., & Green, D. E. (2007). Diseases of Amphibians. *ILAR Journal*, 48(3), 235-254. <https://doi.org/10.1093/ilar.48.3.235>
- Di Nicola, M. R., Coppari, L., Notomista, T., & Marini, D. (2022). Ophidiomyces ophidiicola detection and infection: A global review on a potential threat to the world's snake populations. *European Journal of Wildlife Research*, 68(5), 64. <https://doi.org/10.1007/s10344-022-01612-8>
- Dolinski, A. C., Allender, M. C., Hsiao, V., & Maddox, C. W. (2014). Systemic Ophidiomyces ophidiicola Infection in a Free-Ranging Plains Garter Snake (*Thamnophis radix*). *Journal of Herpetological Medicine and Surgery*, 24(1), 7. <https://doi.org/10.5818/1529-9651-24.1.7>

- Dubey, S., Pellaud, S., Gindro, K., Schuerch, J., Golay, J., Gloor, R., Ghali, K., & Dubey, O. (2022). Fungal infection in free-ranging snakes caused by opportunistic species. *Emerging Animal Species*, 3, 100001. <https://doi.org/10.1016/j.eas.2022.100001>
- Duffus, A., Garner, T., Nichols, R., Standridge, J., & Earl, J. (2019). *Modelling Ranavirus Transmission in Populations of Common Frogs (Rana temporaria) in the United Kingdom*. 11.
- Duffus, A. L. J., & Cunningham, A. A. (2010). Major disease threats to European amphibians. *The Herpetological Journal*, 20(3), 117-127.
- Dufresnes, C. (2019). *Amphibians of Europe, North Africa and the Middle East: A Photographic Guide*. Bloomsbury Publishing.
- Duncan, A. E., Garner, M. M., Bartholomew, J. L., Reichard, T. A., & Nordhausen, R. W. (2004). RENAL MYXOSPORIDIASIS IN ASIAN HORNED FROGS (MEGOPHYRYS NASUTA). *Journal of Zoo and Wildlife Medicine*, 35(3), 381-386. <https://doi.org/10.1638/03-048>
- Eisenberg, T., Hamann, H.-P., Kaim, U., Schlez, K., Seeger, H., Schauerte, N., Melzer, F., Tomaso, H., Scholz, H. C., Koylass, M. S., Whatmore, A. M., & Zschöck, M. (2012). Isolation of Potentially Novel Brucella spp. From Frogs. *Applied and Environmental Microbiology*, 78(10), 3753-3755. <https://doi.org/10.1128/AEM.07509-11>
- Essbauer, S., & Ahne, W. (2001). Viruses of Lower Vertebrates. *Journal of Veterinary Medicine Series B*, 48(6), 403-475. <https://doi.org/10.1046/j.1439-0450.2001.00473.x>
- Fagotti, A., Rossi, R., Canestrelli, D., Porta, G. L., Paracucchi, R., Lucentini, L., Simoncelli, F., & Rosa, I. D. (2019). Longitudinal study of Amphibiocystidium sp. Infection in a natural population of the Italian stream frog (Rana italica). *Parasitology*, 146(7), 903-910. <https://doi.org/10.1017/S0031182019000076>
- Farrer, R. A., Weinert, L. A., Bielby, J., Garner, T. W., Balloux, F., Clare, F., Bosch, J., Cunningham, A. A., Weldon, C., & du Preez, L. H. (2011). Multiple emergences of genetically diverse amphibian-infecting chytrids include a globalized hypervirulent recombinant lineage. *Proceedings of the National Academy of Sciences*, 108(46), 18732-18736.
- Feldman, S. H., Wimsatt, J. H., & Green, D. E. (2005). PHYLOGENETIC CLASSIFICATION OF THE FROG PATHOGEN AMPHIBIOTHECUM (DERMOSPORIDIUM) PENNERI BASED ON SMALL RIBOSOMAL SUBUNIT SEQUENCING. *Journal of Wildlife Diseases*, 41(4), 701-706. <https://doi.org/10.7589/0090-3558-41.4.701>
- Fellers, G. M., Green, D. E., & Longcore, J. E. (2001). Oral Chytridiomycosis in the Mountain Yellow-Legged Frog (*Rana muscosa*). *Copeia*, 2001(4), 945-953. [https://doi.org/10.1643/0045-8511\(2001\)001\[0945:OCITMY\]2.0.CO;2](https://doi.org/10.1643/0045-8511(2001)001[0945:OCITMY]2.0.CO;2)
- Fernández-Benítez, M., Ortiz-Santaliestra, M., Lizana, M., & Diéguez-Urbeondo, J. (2008). Saprolegnia diclina: Another species responsible for the emergent disease « Saprolegnia infections » in amphibians. *FEMS microbiology letters*, 279, 23-29. <https://doi.org/10.1111/j.1574-6968.2007.01002.x>
- Fiegna, C., Clarke, C., Shaw, D., Baily, J., Clare, F., GRAY, A., & Garner, T. (2016). Pathological and phylogenetic characterization of Amphibiothecum sp. Infection in an isolated amphibian (Lissotriton helveticus) population on the island of Rum (Scotland). *Parasitology*, 144. <https://doi.org/10.1017/S0031182016001943>
- Fisher, M. C., & Garner, T. W. J. (2007). The relationship between the emergence of Batrachochytrium dendrobatidis, the international trade in amphibians and introduced amphibian species. *Fungal Biology Reviews*, 21(1), 2-9. <https://doi.org/10.1016/j.fbr.2007.02.002>

- Fisher, M. C., & Garner, T. W. J. (2020). Chytrid fungi and global amphibian declines. *Nature Reviews Microbiology*, 1-12. <https://doi.org/10.1038/s41579-020-0335-x>
- Fisher, M. C., Garner, T. W. J., & Walker, S. F. (2009). Global Emergence of *Batrachochytrium dendrobatidis* and Amphibian Chytridiomycosis in Space, Time, and Host. *Annual Review of Microbiology*, 63(1), 291-310. <https://doi.org/10.1146/annurev.micro.091208.073435>
- Fisher, M. C., Henk, Daniel. A., Briggs, C. J., Brownstein, J. S., Madoff, L. C., McCraw, S. L., & Gurr, S. J. (2012). Emerging fungal threats to animal, plant and ecosystem health. *Nature*, 484(7393), 186-194. <https://doi.org/10.1038/nature10947>
- Forbes, M., Rutherford, P., & Mccrue, D. (2004). Prevalence of *Aeromonas hydrophila* in relation to timing and duration of breeding in three species of ranid frogs. *Écoscience*, 11, 282-285. <https://doi.org/10.1080/11956860.2004.11682834>
- Franklinos, L. H. V., Lorch, J. M., Bohuski, E., Rodriguez-Ramos Fernandez, J., Wright, O. N., Fitzpatrick, L., Petrovan, S., Durrant, C., Linton, C., Baláz, V., Cunningham, A. A., & Lawson, B. (2017). Emerging fungal pathogen *Ophidiomyces ophiodiicola* in wild European snakes. *Scientific Reports*, 7(1), 3844. <https://doi.org/10.1038/s41598-017-03352-1>
- Fremont-Rahl, J. J., Ek, C., Williamson, H. R., Small, P. L. C., Fox, J. G., & Muthupalani, S. (2011). *Mycobacterium liflandii* Outbreak in a Research Colony of *Xenopus* (Silurana) tropicalis Frogs. *Veterinary Pathology*, 48(4), 856-867. <https://doi.org/10.1177/0300985810388520>
- Fuchs, L. D., Tupper, T. A., Aguilar, R., Lorentz, E. B., Bozarth, C. A., Fernandez, D. J., & Lawlor, D. M. (2020). Detection of *Ophidiomyces ophiodiicola* at two mid-Atlantic natural areas in Anne Arundel County, Maryland and Fairfax County, Virginia, USA. *Amphib. Reptile Conserv.*, 14(1), 7.
- Galt, N., Atkinson, M., Glorioso, B., Waddle, H., Litton, M., & Savage, A. E. (2021). *Widespread Ranavirus and Perkinsea infections in Cuban Treefrogs (Osteopilus septentrionalis) invading New Orleans, USA*. Dryad. <http://datadryad.org/stash/dataset/doi:10.5061/dryad.7wm37pvs8>
- Garner, T., Martel, A., Bielby, J., Bosch, J., Anderson, L., Meredith, A., Cunningham, A., Fisher, M., Henk, D., & Pasmans, F. (2013). *Infectious diseases that may threaten Europe's amphibians*.
- Garner, T. W. J., Perkins, M. W., Govindarajulu, P., Seglie, D., Walker, S., Cunningham, A. A., & Fisher, M. C. (2006). The emerging amphibian pathogen *Batrachochytrium dendrobatidis* globally infects introduced populations of the North American bullfrog, *Rana catesbeiana*. *Biology Letters*, 2(3), 455-459. <https://doi.org/10.1098/rsbl.2006.0494>
- Garner, T. W. J., Rowcliffe, J. M., & Fisher, M. C. (2011). Climate change, chytridiomycosis or condition: An experimental test of amphibian survival. *Global Change Biology*, 17(2), 667-675. <https://doi.org/10.1111/j.1365-2486.2010.02272.x>
- Garner, T. W. J., Walker, S., Bosch, J., Hyatt, A. D., Cunningham, A. A., & Fisher, M. C. (2005). Chytrid Fungus in Europe. *Emerging Infectious Diseases*, 11(10), Article 10. <https://doi.org/10.3201/eid1110.050109>
- Gascon, C. (2007). *Amphibian Conservation Action Plan, Proceedings: IUCN/SSC Amphibian Conservation Summit 2005*. 68.
- Gervasi, S., Gondhalekar, C., Olson, D. H., & Blaustein, A. R. (2013). Host Identity Matters in the Amphibian-*Batrachochytrium dendrobatidis* System: Fine-Scale Patterns of

- Variation in Responses to a Multi-Host Pathogen. *PLOS ONE*, 8(1), e54490. <https://doi.org/10.1371/journal.pone.0054490>
- Gibbon, J. W., Scott, D. E., Ryan, T. J., Buhlmann, K. A., Tuberville, T. D., Metts, B. S., Greene, J. L., Mills, T., Leiden, Y., Poppy, S., & Winne, C. T. (2000). The Global Decline of Reptiles, Déjà Vu Amphibians. *BioScience*, 50(8), 653. [https://doi.org/10.1641/0006-3568\(2000\)050\[0653:TGDORD\]2.0.CO;2](https://doi.org/10.1641/0006-3568(2000)050[0653:TGDORD]2.0.CO;2)
- Glorioso, B. M., Waddle, J. H., Green, D. E., & Lorch, J. M. (2016). First Documented Case of Snake Fungal Disease in a Free-Ranging Wild Snake in Louisiana. *Southeastern Naturalist*, 15(1), N4-N6. <https://doi.org/10.1656/058.015.0111>
- Godfroid, J., Al Dahouk, S., Pappas, G., Roth, F., Matope, G., Muma, J., Marcotty, T., Pfeiffer, D., & Skjerve, E. (2013). A “One Health” surveillance and control of brucellosis in developing countries: Moving away from improvisation. *Comparative Immunology, Microbiology and Infectious Diseases*, 36(3), 241-248. <https://doi.org/10.1016/j.cimid.2012.09.001>
- González-Hernández, M., Denoël, M., Duffus, A. J. L., Garner, T. W. J., Cunningham, A. A., & Acevedo-Whitehouse, K. (2010). Dermocystid infection and associated skin lesions in free-living palmate newts (*Lissotriton helveticus*) from Southern France. *Parasitology International*, 59(3), 344-350. <https://doi.org/10.1016/j.parint.2010.04.006>
- Gosá, A., Rubio, X., Etxaniz, M., Luengo, A., García-Cardenete, L., & Océn, M. (2009). Probables casos de parasitismo de *Lucilia bufonivora* (Diptera: Calliphoridae) en anuros del norte ibérico. *Boletín Asociación Española Herpetología*, 20, 112-117.
- Gray, M., & Chinchar, V. (2015). *Ranaviruses: Lethal Pathogens of Ectothermic Vertebrates*. <https://doi.org/10.1007/978-3-319-13755-1>
- Green, D. E., & Harshbarger, J. C. (2001). Spontaneous neoplasia in amphibia. In *Wright KM, Whitaker BR, eds. Amphibian Medicine and Captive Husbandry* (p. 335-400). Malabar FL: Krieger Publishing Company.
- Green, S. L., Bouley, D. M., Tolwani, R. J., Waggle, K. S., Lifland, B. D., Otto, G. M., & Ferrell, J. J. (1999). Identification and management of an outbreak of *Flavobacterium meningosepticum* infection in a colony of South African clawed frogs (*Xenopus laevis*). *Journal of the American Veterinary Medical Association*, 214(12), 1833-1838, 1792-1793.
- Grogan, L. F., Skerratt, L. F., Berger, L., Cashins, S. D., Trengove, R. D., & Gummer, J. P. A. (2018). Chytridiomycosis causes catastrophic organism-wide metabolic dysregulation including profound failure of cellular energy pathways. *Scientific Reports*, 8(1), 8188. <https://doi.org/10.1038/s41598-018-26427-z>
- Gsell, A. S., Biere, A., de Boer, W., de Bruijn, I., Eichhorn, G., Frenken, T., Geisen, S., van der Jeugd, H., Mason-Jones, K., Meisner, A., Thakur, M. P., van Donk, E., Zwart, M. P., & Van de Waal, D. B. (2023). Environmental refuges from disease in host-parasite interactions under global change. *Ecology*. <https://doi.org/10.1002/ecy.4001>
- Guyénot, E., & Naville, A. (1913). Un nouveau protiste, du genre *Dermocystidium*, parasite de la grenouille. *Dermocystidium ranæ* nov. Spec. Rev Suisse Zool, 29, 133-145.
- Harris, R. N., Brucker, R. M., Walke, J. B., Becker, M. H., Schwantes, C. R., Flaherty, D. C., Lam, B. A., Woodhams, D. C., Briggs, C. J., Vredenburg, V. T., & Minbiole, K. P. C. (2009). Skin microbes on frogs prevent morbidity and mortality caused by a lethal skin fungus. *The ISME Journal*, 3(7), 818-824. <https://doi.org/10.1038/ismej.2009.27>
- Harris, R. N., James, T. Y., Lauer, A., Simon, M. A., & Patel, A. (2006). Amphibian Pathogen *Batrachochytrium dendrobatidis* Is Inhibited by the Cutaneous Bacteria of

- Amphibian Species. *EcoHealth*, 3(1), 53. <https://doi.org/10.1007/s10393-005-0009-1>
- Harris, R. N., Lauer, A., Simon, M. A., Banning, J. L., & Alford, R. A. (2009). Addition of antifungal skin bacteria to salamanders ameliorates the effects of chytridiomycosis. *Diseases of Aquatic Organisms*, 83(1), 11-16. <https://doi.org/10.3354/dao02004>
- Hyatt, A. D., Olsen, V., Boyle, D. B., Berger, L., Obendorf, D., Dalton, A., Kriger, K., Hero, M., Hines, H., Phillott, R., Campbell, R., Marantelli, G., Gleason, F., Colling, A., & Boyle, D. G. (2007). Diagnostic assays and sampling protocols for the detection of *Batrachochytrium dendrobatidis*. *Diseases of Aquatic Organisms*, 73(3), 175-192. <https://doi.org/10.3354/dao073175>
- Isidoro-Ayza, M., Grear, D. A., & Chambouvet, A. (2019). Pathology and Case Definition of Severe Perkinsea Infection of Frogs. *Veterinary Pathology*, 56(1), 133-142. <https://doi.org/10.1177/0300985818798132>
- Isidoro-Ayza, M., Lorch, J. M., Grear, D. A., Winzeler, M., Calhoun, D. L., & Barichivich, W. J. (2017). Pathogenic lineage of Perkinsea associated with mass mortality of frogs across the United States. *Scientific Reports*, 7(1), Article 1. <https://doi.org/10.1038/s41598-017-10456-1>
- Jani, A. J., & Briggs, C. J. (2014). The pathogen *Batrachochytrium dendrobatidis* disturbs the frog skin microbiome during a natural epidemic and experimental infection. *Proceedings of the National Academy of Sciences*, 111(47), E5049-E5058. <https://doi.org/10.1073/pnas.1412752111>
- Jani, A. J., Knapp, R. A., & Briggs, C. J. (2017). Epidemic and endemic pathogen dynamics correspond to distinct host population microbiomes at a landscape scale. *Proceedings of the Royal Society B: Biological Sciences*, 284(1857), 20170944. <https://doi.org/10.1098/rspb.2017.0944>
- Johnson, A. J., & Wellehan, J. F. X. (2005). Amphibian virology. *Veterinary Clinics of North America: Exotic Animal Practice*, 8(1), 53-65. <https://doi.org/10.1016/j.cvex.2004.09.001>
- Johnson, M. L., & Speare, R. (2003). Survival of *Batrachochytrium dendrobatidis* in water: Quarantine and disease control implications. *Emerging infectious diseases*, 9(8), 922.
- Johnson, M. L., & Speare, R. (2005). Possible modes of dissemination of the amphibian chytrid *Batrachochytrium dendrobatidis* in the environment. *Diseases of Aquatic Organisms*, 65(3), 181-186. <https://doi.org/10.3354/dao065181>
- Johnson, P., Lunde, K., Haight, R., Bowerman, J., & Blaustein, A. (2001). *Ribeiroia ondatrae* (Trematoda: Digenea) infection induces severe limb malformations in western toads (*Bufo boreas*). *Canadian Journal of Zoology*, 79. <https://doi.org/10.1139/z00-210>
- Johnson, P. T. J., Lunde, K. B., Thurman, E. M., Ritchie, E. G., Wray, S. N., Sutherland, D. R., Kapfer, J. M., Frest, T. J., Bowerman, J., & Blaustein, A. R. (2002). Parasite (*ribeiroia Ondatrae*) Infection Linked to Amphibian Malformations in the Western United States. *Ecological Monographs*, 72(2), 151-168. [https://doi.org/10.1890/0012-9615\(2002\)072\[0151:PROILT\]2.0.CO;2](https://doi.org/10.1890/0012-9615(2002)072[0151:PROILT]2.0.CO;2)
- Johnson, P. T. J., Townsend, A. R., Cleveland, C. C., Glibert, P. M., Howarth, R. W., McKenzie, V. J., Rejmankova, E., & Ward, M. H. (2010). Linking environmental nutrient enrichment and disease emergence in humans and wildlife. *Ecological Applications*, 20(1), 16-29. <https://doi.org/10.1890/08-0633.1>
- Kearns, P. J., Fischer, S., Fernández-Beaskoetxea, S., Gabor, C. R., Bosch, J., Bowen, J. L., Tlustý, M. F., & Woodhams, D. C. (2017). Fight Fungi with Fungi: Antifungal Properties of the

- Amphibian Mycobiome. *Frontiers in Microbiology*, 8. <https://doi.org/10.3389/fmicb.2017.02494>
- Kim, S., Eom, A.-H., Park, D.-S., & Ra, N.-Y. (2008). Detection of Infectious Fungal Diseases of Frogs Inhabiting in Korea. *Mycobiology*, 36, 10-12. <https://doi.org/10.4489/MYCO.2008.36.1.010>
- Knapp, R. A., & Morgan, J. A. T. (2006). Tadpole Mouthpart Depigmentation as an Accurate Indicator of Chytridiomycosis, an Emerging Disease of Amphibians. *Copeia*, 2006(2), 188-197. [https://doi.org/10.1643/0045-8511\(2006\)6\[188:TMDAAA\]2.0.CO;2](https://doi.org/10.1643/0045-8511(2006)6[188:TMDAAA]2.0.CO;2)
- Koskela, P., Itamies, J., & Pasanen, S. (1974). *Lucilia bufonivora* Moniez (Diptera, Calliphoridae), a lethal parasite in *Rana temporaria* L. (Anura). *Annales Zoologici Fennici*. https://scholar.google.com/scholar_lookup?title=Lucilia+bufonivora+Moniez+%28Diptera%2C+Calliphoridae%29%2C+a+lethal+parasite+in+Rana+temporaria+L.+%28Anura%29&author=Koskela%2C+P.&publication_year=1974
- Kruger, K. M., & Hero, J.-M. (2007). Large-scale seasonal variation in the prevalence and severity of chytridiomycosis. *Journal of Zoology*, 271(3), 352-359. <https://doi.org/10.1111/j.1469-7998.2006.00220.x>
- Kruger, K. M., & Hero, J.-M. (2008). Altitudinal distribution of chytrid (*Batrachochytrium dendrobatidis*) infection in subtropical Australian frogs. *Austral Ecology*, 33(8), 1022-1032.
- Kruger, K. M., Hero, J.-M., & Ashton, K. J. (2006). Cost efficiency in the detection of chytridiomycosis using PCR assay. *Diseases of Aquatic Organisms*, 71(2), 149-154. <https://doi.org/10.3354/dao071149>
- Kruger, K. M., Pereoglou, F., & Hero, J.-M. (2007). Latitudinal Variation in the Prevalence and Intensity of Chytrid (*Batrachochytrium dendrobatidis*) Infection in Eastern Australia. *Conservation Biology*, 21(5), 1280-1290. <https://doi.org/10.1111/j.1523-1739.2007.00777.x>
- Kueneman, J. G., Woodhams, D. C., Harris, R., Archer, H. M., Knight, R., & McKenzie, V. J. (2016). Probiotic treatment restores protection against lethal fungal infection lost during amphibian captivity. *Proceedings of the Royal Society B: Biological Sciences*, 283(1839), 20161553. <https://doi.org/10.1098/rspb.2016.1553>
- Küster, E. (1905). Über Kaltblütertuberkulose. *Münch Med Wochenschr*.
- Ladner, J. T., Palmer, J. M., Ettinger, C. L., Stajich, J. E., Farrell, T. M., Glorioso, B. M., Lawson, B., Price, S. J., Stengle, A. G., Grear, D. A., & Lorch, J. M. (2022). The population genetics of the causative agent of snake fungal disease indicate recent introductions to the USA. *PLOS Biology*, 20(6), e3001676. <https://doi.org/10.1371/journal.pbio.3001676>
- Laking, A. E., Ngo, H. N., Pasmans, F., Martel, A., & Nguyen, T. T. (2017). *Batrachochytrium salamandrivorans* is the predominant chytrid fungus in Vietnamese salamanders. *Scientific Reports*, 7(1), Article 1. <https://doi.org/10.1038/srep44443>
- Landsberg, J. H., Kiryu, Y., Tabuchi, M., Waltzek, T. B., Enge, K. M., Reintjes-Tolen, S., Preston, A., & Pessier, A. P. (2013). Co-infection by alveolate parasites and frog virus 3-like ranavirus during an amphibian larval mortality event in Florida, USA. *Diseases of Aquatic Organisms*, 105(2), 89-99. <https://doi.org/10.3354/dao02625>
- Lind, C., Agugliaro, J., Lorch, J., & Farrell, T. (2022). Ophidiomycosis is related to seasonal patterns of reproduction, ecdysis, and thermoregulatory behavior in a free-living snake species. *Journal of Zoology*. <https://doi.org/10.1111/jzo.13024>

- Lind, C. M., Lorch, J. M., Moore, I. T., Vernasco, B. J., & Farrell, T. M. (2018). Seasonal sex steroids indicate reproductive costs associated with snake fungal disease. *Journal of Zoology*, 307(2), 104-110. <https://doi.org/10.1111/jzo.12628>
- Lind, C., Moore, I. T., Akçay, Ç., Vernasco, B. J., Lorch, J. M., & Farrell, T. M. (2018). Patterns of Circulating Corticosterone in a Population of Rattlesnakes Afflicted with Snake Fungal Disease: Stress Hormones as a Potential Mediator of Seasonal Cycles in Disease Severity and Outcomes. *Physiological and Biochemical Zoology*, 91(2), 765-775. <https://doi.org/10.1086/695747>
- Lips, K. R., Brem, F., Brenes, R., Reeve, J. D., Alford, R. A., Voyles, J., Carey, C., Livo, L., Pessier, A. P., & Collins, J. P. (2006). Emerging infectious disease and the loss of biodiversity in a Neotropical amphibian community. *Proceedings of the National Academy of Sciences*, 103(9), 3165-3170. <https://doi.org/10.1073/pnas.0506889103>
- Longcore, J. E., Pessier, A. P., & Nichols, D. K. (1999). *Batrachochytrium Dendrobatidis* gen. Et sp. Nov., a Chytrid Pathogenic to Amphibians. *Mycologia*, 91(2), 219. <https://doi.org/10.2307/3761366>
- Lorch, J. M., Knowles, S., Lankton, J. S., Michell, K., Edwards, J. L., Kapfer, J. M., Staffen, R. A., Wild, E. R., Schmidt, K. Z., Ballmann, A. E., Blodgett, D., Farrell, T. M., Glorioso, B. M., Last, L. A., Price, S. J., Schuler, K. L., Smith, C. E., Wellehan, J. F. X., & Blehert, D. S. (2016). Snake fungal disease: An emerging threat to wild snakes. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 371(1709), 20150457. <https://doi.org/10.1098/rstb.2015.0457>
- Lorch, J. M., Lankton, J., Werner, K., Falendysz, E. A., McCurley, K., & Blehert, D. S. (2015). Experimental Infection of Snakes with *Ophidiomyces ophiodiicola* Causes Pathological Changes That Typify Snake Fungal Disease. *MBio*. <https://doi.org/10.1128/mBio.01534-15>
- Lorch, J. M., Price, S. J., Lankton, J. S., & Drayer, A. N. (2021). Confirmed Cases of Ophidiomycosis in Museum Specimens from as Early as 1945, United States. *Emerging Infectious Diseases*, 27(7), 1986-1989. <https://doi.org/10.3201/eid2707.204864>
- Lötters, S., Kerres, A., Krebs, A., Ohlhoff, D., Schmeller, D. S., Schmidt, B. R., Steinfartz, S., Veith, M., Vences, M., & Wagner, N. (2015). Handlungsbedarf und anlaufende Aktivitäten vor dem Hintergrund der Bedrohung einheimischer Schwanzlurche durch einen neuen Salamander-Chytridpilz. https://www.researchgate.net/publication/281756346_Handlungsbedarf_und_anlaufende_Aktivitäten_vor_dem_Hintergrund_der_Bedrohung_einheimischer_Schwanzlurche_durch_einen_neuen_Salamander-Chytridpilz
- Martel, A., Blooi, M., Adriaensen, C., Van Rooij, P., Beukema, W., Fisher, M. C., Farrer, R. A., Schmidt, B. R., Tobler, U., Goka, K., Lips, K. R., Muletz, C., Zamudio, K. R., Bosch, J., Lotters, S., Wombwell, E., Garner, T. W. J., Cunningham, A. A., Spitzen-van der Sluijs, A., ... Pasmans, F. (2014). Recent introduction of a chytrid fungus endangers Western Palearctic salamanders. *Science*, 346(6209), 630-631. <https://doi.org/10.1126/science.1258268>
- Martel, A., Pasmans, F., Spitzen-van der Sluijs, A. M., Gilbert, M. J., Bosch, J., Miaud, C., Salvadio, S., Grasselli, E., Lotters, S., Veith, M., Cunningham, A., Kinet, T., & Laudelout, A. (2021). Mitigating a new infectious disease in salamanders to counteract the loss of European biodiversity (Tender ENV.B.3/SER/2016/0028). http://bsaleurope.com/wp-content/uploads/2021/03/Report_ENV.B.3-SER-2016-0028.pdf

- Martel, A., Spitzen-van der Sluijs, A., Blooi, M., Bert, W., Ducatelle, R., Fisher, M. C., Woeltjes, A., Bosman, W., Chiers, K., Bossuyt, F., & Pasmans, F. (2013). *Batrachochytrium salamandrivorans* sp. Nov. Causes lethal chytridiomycosis in amphibians. *Proceedings of the National Academy of Sciences*, 110(38), 15325-15329. <https://doi.org/10.1073/pnas.1307356110>
- Martel, A., Vila-Escale, M., Fernández-Giberteau, D., Martinez-Silvestre, A., Canessa, S., Van Praet, S., Pannon, P., Chiers, K., Ferran, A., Kelly, M., Picart, M., Piulats, D., Li, Z., Pagone, V., Pérez-Sorribes, L., Molina, C., Tarragó-Guarro, A., Velarde-Nieto, R., Carbonell, F., ... Pasmans, F. (2020). Integral chain management of wildlife diseases. *Conservation Letters*, 13(2), e12707. <https://doi.org/10.1111/conl.12707>
- McBride, M. P., Wojick, K. B., Georoff, T. A., Kimbro, J., Garner, M. M., Wang, X., Childress, A. L., & Wellehan, J. F. X. (2015). OPHIDIOMYCES OPHIODIICOLA DERMATITIS IN EIGHT FREE-RANGING TIMBER RATTLESNAKES (CROTALUS HORRIDUS) FROM MASSACHUSETTS. *Journal of Zoo and Wildlife Medicine*, 46(1), 86-94. <https://doi.org/10.1638/2012-0248R2.1>
- McCallum, H., & Dobson, A. (1995). Detecting disease and parasite threats to endangered species and ecosystems. *Trends in Ecology & Evolution*, 10(5), 190-194. [https://doi.org/10.1016/S0169-5347\(00\)89050-3](https://doi.org/10.1016/S0169-5347(00)89050-3)
- McKenzie, C. M., Oesterle, P. T., Stevens, B., Shirole, L., Mastromonaco, G. F., Lillie, B. N., Davy, C. M., Jardine, C. M., & Nemeth, N. M. (2020). Ophidiomycosis in Red Cornsnakes (*Pantherophis guttatus*): Potential Roles of Brumation and Temperature on Pathogenesis and Transmission. *Veterinary Pathology*, 57(6), 825-837. <https://doi.org/10.1177/0300985820953423>
- McKenzie, J. M., Price, S. J., Connette, G. M., Bonner, S. J., & Lorch, J. M. (2021). Effects of snake fungal disease on short-term survival, behavior, and movement in free-ranging snakes. *Ecological Applications*, 31(2), e02251. <https://doi.org/10.1002/eap.2251>
- McKenzie, J. M., Price, S. J., Fleckenstein, J. L., Drayer, A. N., Connette, G. M., Bohuski, E., & Lorch, J. M. (2019). Field Diagnostics and Seasonality of Ophidiomyces ophiodiicola in Wild Snake Populations. *EcoHealth*, 16(1), 141-150. <https://doi.org/10.1007/s10393-018-1384-8>
- McMahon, T. A., Brannelly, L. A., Chatfield, M. W. H., Johnson, P. T. J., Joseph, M. B., McKenzie, V. J., Richards-Zawacki, C. L., Venesky, M. D., & Rohr, J. R. (2013). Chytrid fungus *Batrachochytrium dendrobatidis* has nonamphibian hosts and releases chemicals that cause pathology in the absence of infection. *Proceedings of the National Academy of Sciences*, 110(1), 210-215. <https://doi.org/10.1073/pnas.1200592110>
- Meier, G., Notomista, T., Marini, D., & Ferri, V. (2018). First case of Snake Fungal Disease affecting a free-ranging *Natrix natrix* (Linnaeus, 1758) in Ticino Canton, Switzerland. *Herpetology Notes*, 11, 885-891.
- Miaud, C. (2013). Un champignon menace les amphibiens: Qu'avons-nous appris de la chytridiomycose? *Le courrier de la Nature*, 277(Septembre-Octobre), e41481.
- Miaud, C., Arnal, V., Poulain, M., Valentini, A., & Dejean, T. (2019). EDNA Increases the Detectability of Ranavirus Infection in an Alpine Amphibian Population. *Viruses*, 11(6), 526. <https://doi.org/10.3390/v11060526>
- Miaud, C., & Montgelard, C. (2015). *Prévalence et identification génétique d'un champignon parasite des Amphibiens dans l'herpétofaune d'Alsace*. <https://www.bufo-alsace.org/project/prevalence-et-identification-genetique-dun-champignon-parasite-des-amphibiens-dans-lherpetofaune-dalsace/>

- Miaud, C., Pozet, F., Gaudin, N. C. G., Martel, A., Pasmans, F., & Labrut, S. (2016). RANAVIRUS CAUSES MASS DIE-OFFS OF ALPINE AMPHIBIANS IN THE SOUTHWESTERN ALPS, FRANCE. *Journal of Wildlife Diseases*, 52(2), 242-252. <https://doi.org/10.7589/2015-05-113>
- Michon, A., & Cheveau, P. (2021). *Identification et prise en compte des enjeux herpétofaune et avifaune—Restauration des digues du canal Rhin-Rhône – Osselle-Routelle. Bilan de l'année 2021*. LPO Bourgogne-Franche-Comté, Muséum de la Citadelle de Besançon, Voies Navigables de France, Fondation Nature & Découvertes, Conseil Régional de Bourgogne Franche-Comté.
- Miller, E. R., & Fowler, M. E. (2011). *Fowler's Zoo and Wild Animal Medicine Current Therapy, Volume 7*. Elsevier Health Sciences.
- Money, N. P. (2016). Chapter 1—Fungal Diversity. In *The Fungi* (p. 1-36). Elsevier. <https://doi.org/10.1016/B978-0-12-382034-1.00001-3>
- Morand, S. (2020). Emerging diseases, livestock expansion and biodiversity loss are positively related at global scale. *Biological Conservation*, 248, 108707. <https://doi.org/10.1016/j.biocon.2020.108707>
- Morand, S., Owers, K. A., Waret-Szkuta, A., McIntyre, K. M., & Baylis, M. (2013). Climate variability and outbreaks of infectious diseases in Europe. *Scientific Reports*, 3(1), 1774. <https://doi.org/10.1038/srep01774>
- More, S., Miranda, M. A., Bicout, D., Bøtner, A., Butterworth, A., Calistri, P., Depner, K., Edwards, S., Garin-Bastuji, B., Good, M., Michel, V., Raj, M., Nielsen, S., Sihvonen, L., Spoolder, H. A. M., Stegeman, J., Thulke, H.-H., Velarde, A., Willeberg, P., & Gortázar, C. (2018). Risk of survival, establishment and spread of *Batrachochytrium salamandrivorans* (Bsal) in the EU. *EFSA Journal*, 16. <https://doi.org/10.2903/j.efsa.2018.5259>
- Mühldorfer, K., Wibbelt, G., Szentiks, C. A., Fischer, D., Scholz, H. C., Zschöck, M., & Eisenberg, T. (2017). The role of 'atypical' *Brucella* in amphibians : Are we facing novel emerging pathogens? *Journal of Applied Microbiology*, 122(1), 40-53. <https://doi.org/10.1111/jam.13326>
- Mutschmann, F. (2004). Pathological changes in African hyperoliid frogs due to a myxosporidian infection with a new species of *Hoferellus* (Myxozoa). *Diseases of Aquatic Organisms*, 60(3), 215-222. <https://doi.org/10.3354/dao060215>
- Navarro-Lozano, A., Sánchez-Domene, D., Rossa-Feres, D. C., Bosch, J., & Sawaya, R. J. (2018). Are oral deformities in tadpoles accurate indicators of anuran chytridiomycosis? *PLOS ONE*, 13(1), e0190955. <https://doi.org/10.1371/journal.pone.0190955>
- Nguyen, T. T., Nguyen, T. V., Ziegler, T., Pasmans, F., & Martel, A. (2017). Trade in wild anurans vectors the urodelan pathogen *Batrachochytrium salamandrivorans* into Europe. *Amphibia-Reptilia*, 38(4), 554-556. <https://doi.org/10.1163/15685381-00003125>
- Nichols, D. K., Lamirande, E. W., Pessier, A. P., & Longcore, J. E. (2001). EXPERIMENTAL TRANSMISSION OF CUTANEOUS CHYTRIDIOMYCOSIS IN DENDROBATID FROGS. *Journal of Wildlife Diseases*, 37(1), 1-11. <https://doi.org/10.7589/0090-3558-37.1.1>
- North, A., Hodgson, D., Price, S., & Griffiths, A. (2015). Anthropogenic and Ecological Drivers of Amphibian Disease (Ranavirosis). *PloS one*, 10, e0127037. <https://doi.org/10.1371/journal.pone.0127037>
- O'Hanlon, S., Rieux, A., Farrer, R., Rosa, G., Waldman, B., Bataille, A., Kosch, T., Murray, K., Brankovics, B., Fumagalli, M., Martin, M., Wales, N., Alvarado-Rybak, M., Bates, K., Berger, L., Böll, S., Brookes, L., Clare, F., Courtois, E., & Fisher, M. (2018). Recent Asian

- origin of chytrid fungi causing global amphibian declines. *Science*, 360, 621-627. <https://doi.org/10.1126/science.aar1965>
- Olson, D. H., Ronnenberg, K. L., Glidden, C. K., Christiansen, K. R., & Blaustein, A. R. (2021). Global Patterns of the Fungal Pathogen *Batrachochytrium dendrobatidis* Support Conservation Urgency. *Frontiers in Veterinary Science*, 8, 685877. <https://doi.org/10.3389/fvets.2021.685877>
- Origgi, F. C., Pisano, S. R. R., Glaizot, O., Hertwig, S. T., Schmitz, A., & Ursenbacher, S. (2022). *Ophiodimyces ophiodiicola*, Etiologic Agent of Snake Fungal Disease, in Europe since Late 1950s. *Emerging Infectious Diseases*, 28(10), 2064-2068. <https://doi.org/10.3201/eid2810.220564>
- Origgi, F. C., Schmidt, B. R., Lohmann, P., Otten, P., Akdesir, E., Gaschen, V., Aguilar-Bultet, L., Wahli, T., Sattler, U., & Stoffel, M. H. (2017). Ranid Herpesvirus 3 and Proliferative Dermatitis in Free-Ranging Wild Common Frogs (*Rana Temporaria*). *Veterinary Pathology*, 54(4), 686-694. <https://doi.org/10.1177/0300985817705176>
- Origgi, F. C., Schmidt, B. R., Lohmann, P., Otten, P., Meier, R. K., Pisano, S. R. R., Moore-Jones, G., Tecilla, M., Sattler, U., Wahli, T., Gaschen, V., & Stoffel, M. H. (2018). Bufonid herpesvirus 1 (BfHV1) associated dermatitis and mortality in free ranging common toads (*Bufo bufo*) in Switzerland. *Scientific Reports*, 8(1), Article 1. <https://doi.org/10.1038/s41598-018-32841-0>
- Ortiz-Santaliestra, M. E., Fisher, M. C., Fernández-Beaskoetxea, S., Fernández-Benítez, M. J., & Bosch, J. (2011). Ambient Ultraviolet B Radiation and Prevalence of Infection by *Batrachochytrium dendrobatidis* in Two Amphibian Species. *Conservation Biology*, 25(5), 975-982. <https://doi.org/10.1111/j.1523-1739.2011.01700.x>
- Paré, J. A., & Sigler, L. (2016). An Overview of Reptile Fungal Pathogens in the Genera *Nannizziopsis*, *Paranannizziopsis*, and *Ophidiomyces*. *Journal of Herpetological Medicine and Surgery*, 26(1-2), 46-53. <https://doi.org/10.5818/1529-9651-26.1-2.46>
- Pascolini, R., Daszak, P., Cunningham, A. A., Tei, S., Vagnetti, D., Bucci, S., Fagotti, A., & Rosa, I. D. (2003). Parasitism by *Dermocystidium ranae* in a population of *Rana esculenta* complex in Central Italy and description of *Amphibiocystidium* n. Gen. *Diseases of Aquatic Organisms*, 56(1), 65-74. <https://doi.org/10.3354/dao056065>
- Pasmans, F., Rooij, P. V., Blooi, M., Tessa, G., Bogaerts, S., Sotgiu, G., Garner, T. W. J., Fisher, M. C., Schmidt, B. R., Woeltjes, T., Beukema, W., Bovero, S., Adriaensen, C., Oneto, F., Ottonello, D., Martel, A., & Salvidio, S. (2013). Resistance to Chytridiomycosis in European Plethodontid Salamanders of the Genus *Speleomantes*. *PLOS ONE*, 8(5), e63639. <https://doi.org/10.1371/journal.pone.0063639>
- Pasteris, S. E., Bühler, M. I., & Nader-Macías, M. E. (2006). Microbiological and histological studies of farmed-bullfrog (*Rana catesbeiana*) tissues displaying red-leg syndrome. *Aquaculture*, 251(1), 11-18. <https://doi.org/10.1016/j.aquaculture.2005.05.007>
- Pérez, C. (1907). *Dermocystis pusula* organisme nouveau parasite de la peau des tritons. In *Comptes Rendus des Seances de Societe de Biologie* (p. 445-447). <https://gallica.bnf.fr/ark:/12148/bpt6k6418266c>
- Pessier, A. P. (2002). An overview of amphibian skin disease. *Seminars in Avian and Exotic Pet Medicine*, 11(3), 162-174. <https://doi.org/10.1053/saep.2002.123980>
- Pessier, A. P. (2008). Amphibian chytridiomycosis. In M. E. Fowler & R. E. Miller, *Zoo and wild animal medicine: Current therapy* (Vol. 6, p. 137-143). Elsevier Health Sciences.
- Pessier, A. P., Nichols, D. K., Longcore, J. E., & Fuller, M. S. (1999). Cutaneous Chytridiomycosis in Poison Dart Frogs (*Dendrobates* spp.) and White's Tree Frogs (*Litoria Caerulea*).

- Journal of Veterinary Diagnostic Investigation*, 11(2), 194-199.
<https://doi.org/10.1177/104063879901100219>
- Phillott, A. D., Speare, R., Hines, H. B., Skerratt, L. F., Meyer, E., McDonald, K. R., Cashins, S. D., Mendez, D., & Berger, L. (2010). Minimising exposure of amphibians to pathogens during field studies. *Diseases of Aquatic Organisms*, 92(2-3), 175-185.
<https://doi.org/10.3354/dao02162>
- Piotrowski, J. S., Annis, S. L., & Longcore, J. E. (2004). Physiology of *Batrachochytrium dendrobatidis*, a chytrid pathogen of amphibians. *Mycologia*, 96(1), 9-15.
<https://doi.org/10.1080/15572536.2005.11832990>
- Piovia-Scott, J., Rejmanek, D., Woodhams, D. C., Worth, S. J., Kenny, H., McKenzie, V., Lawler, S. P., & Foley, J. E. (2017). Greater Species Richness of Bacterial Skin Symbionts Better Suppresses the Amphibian Fungal Pathogen *Batrachochytrium Dendrobatidis*. *Microbial Ecology*, 74(1), 217-226. <https://doi.org/10.1007/s00248-016-0916-4>
- Porta, M. (2014). *A Dictionary of Epidemiology* (M. Porta, Éd.). Oxford University Press.
- Pounds, J. A., Bustamante, M. R., Coloma, L. A., Consuegra, J. A., Fogden, M. P., Foster, P. N., La Marca, E., Masters, K. L., Merino-Viteri, A., & Puschendorf, R. (2006). Widespread amphibian extinctions from epidemic disease driven by global warming. *Nature*, 439(7073), 161.
- Poynton, S. L., & Whitaker, B. R. (2001). Protozoa and metazoa infecting amphibians. *Amphibian Medicine and Captive Husbandry*, 193-221.
- Rachowicz, L. J., Hero, J.-M., Alford, R. A., Taylor, J. W., Morgan, J. a. T., Vredenburg, V. T., Collins, J. P., & Briggs, C. J. (2005). The Novel and Endemic Pathogen Hypotheses: Competing Explanations for the Origin of Emerging Infectious Diseases of Wildlife. *Conservation Biology*, 19(5), 1441-1448. <https://doi.org/10.1111/j.1523-1739.2005.00255.x>
- Rachowicz, L. J., & Vredenburg, V. T. (2004). Transmission of *Batrachochytrium dendrobatidis* within and between amphibian life stages. *Diseases of aquatic organisms*, 61(1-2), 75-83.
- Raffel, T. R., Halstead, N. T., McMahon, T. A., Davis, A. K., & Rohr, J. R. (2015). Temperature variability and moisture synergistically interact to exacerbate an epizootic disease. *Proceedings of the Royal Society B: Biological Sciences*, 282(1801), 20142039. <https://doi.org/10.1098/rspb.2014.2039>
- Rajeev, S., Sutton, D. A., Wickes, B. L., Miller, D. L., Giri, D., Van Meter, M., Thompson, E. H., Rinaldi, M. G., Romanelli, A. M., Cano, J. F., & Guarro, J. (2009). Isolation and Characterization of a New Fungal Species, *Chrysosporium ophiodiicola*, from a Mycotic Granuloma of a Black Rat Snake (*Elaphe obsoleta obsoleta*). *Journal of Clinical Microbiology*, 47(4), 1264-1268. <https://doi.org/10.1128/JCM.01751-08>
- Rastogi, N., Legrand, E., & Sola, C. (2001). The mycobacteria: An introduction to nomenclature and pathogenesis: -EN- -FR- -ES-. *Revue Scientifique et Technique de l'OIE*, 20(1), 21-54. <https://doi.org/10.20506/rst.20.1.1265>
- Reavill, D. R., & Schmidt, R. E. (2012). Mycobacterial Lesions in Fish, Amphibians, Reptiles, Rodents, Lagomorphs, and Ferrets with Reference to Animal Models. *Veterinary Clinics: Exotic Animal Practice*, 15(1), 25-40. <https://doi.org/10.1016/j.cvex.2011.10.001>
- Remy, P. (1931). Présence de *Dermocystidium ranæ* Guyénot et Naville, chez une *Rana esculenta* L. de Lorraine. *Annales de Parasitologie Humaine et Comparée*, 9(1), 1-3. <https://doi.org/10.1051/parasite/1931091001>

- Rohr, J. R., & Raffel, T. R. (2010). Linking global climate and temperature variability to widespread amphibian declines putatively caused by disease. *Proceedings of the National Academy of Sciences*, 107(18), 8269-8274. <https://doi.org/10.1073/pnas.0912883107>
- Rohr, J. R., Raffel, T. R., Halstead, N. T., McMahon, T. A., Johnson, S. A., Boughton, R. K., & Martin, L. B. (2013). Early-life exposure to a herbicide has enduring effects on pathogen-induced mortality. *Proceedings of the Royal Society B: Biological Sciences*, 280(1772), 20131502. <https://doi.org/10.1098/rspb.2013.1502>
- Rosa, G. M., Sabino-Pinto, J., Laurentino, T. G., Martel, A., Pasmans, F., Rebelo, R., Griffiths, R. A., Stöhr, A. C., Marschang, R. E., Price, S. J., Garner, T. W. J., & Bosch, J. (2017). Impact of asynchronous emergence of two lethal pathogens on amphibian assemblages. *Scientific Reports*, 7(1), 43260. <https://doi.org/10.1038/srep43260>
- Rosenblum, E. B., James, T. Y., Zamudio, K. R., Poorten, T. J., Ilut, D., Rodriguez, D., Eastman, J. M., Richards-Hrdlicka, K., Joneson, S., Jenkinson, T. S., Longcore, J. E., Parra Olea, G., Toledo, L. F., Arellano, M. L., Medina, E. M., Restrepo, S., Flechas, S. V., Berger, L., Briggs, C. J., & Stajich, J. E. (2013). Complex history of the amphibian-killing chytrid fungus revealed with genome resequencing data. *Proceedings of the National Academy of Sciences*, 110(23), 9385-9390. <https://doi.org/10.1073/pnas.1300130110>
- Rossi, R., Barocco, R., Paracucchi, R., & Di Rosa, I. (2008). *Parasitism by Amphibiocystidium (Mesomycetozoea) in Rana italica: Preliminary data.*
- Rouzic, N., Desmier, L., Cariou, M.-E., Gay, E., Foster, J. T., Williamson, C. H. D., Schmitt, F., Le Henaff, M., Le Coz, A., Lorléac'h, A., Lavigne, J.-P., O'Callaghan, D., & Keriél, A. (2021). First Case of Brucellosis Caused by an Amphibian-type Brucella. *Clinical Infectious Diseases*, 72(9), e404-e407. <https://doi.org/10.1093/cid/ciaa1082>
- Rowley, J. J., & Alford, R. A. (2007). Behaviour of Australian rainforest stream frogs may affect the transmission of chytridiomycosis. *Diseases of aquatic organisms*, 77(1), 1-9.
- Rzadkowska, M., Allender, M. C., O'Dell, M., & Maddox, C. (2016). Evaluation of Common Disinfectants Effective against *Ophidiomyces ophiodiicola*, the Causative Agent of Snake Fungal Disease. *Journal of Wildlife Diseases*, 52(3), 759-762. <https://doi.org/10.7589/2016-01-012>
- Sabino-Pinto, J., Bletz, M., Hendrix, R., Perl, R. G. B., Martel, A., Pasmans, F., Lötters, S., Mutschmann, F., Schmeller, D. S., Schmidt, B. R., Veith, M., Wagner, N., Vences, M., & Steinfartz, S. (2015). First detection of the emerging fungal pathogen *Batrachochytrium salamandrivorans* in Germany. *Amphibia-Reptilia*, 36(4), 411-416. <https://doi.org/10.1163/15685381-00003008>
- Savage, A. E., & Zamudio, K. R. (2016). Adaptive tolerance to a pathogenic fungus drives major histocompatibility complex evolution in natural amphibian populations. *Proceedings of the Royal Society B: Biological Sciences*, 283(1827), 20153115. <https://doi.org/10.1098/rspb.2015.3115>
- Scheele, B. C., Pasmans, F., Skerratt, L. F., Berger, L., Martel, A., Beukema, W., Acevedo, A. A., Burrowes, P. A., Carvalho, T., Catenazzi, A., De la Riva, I., Fisher, M. C., Flechas, S. V., Foster, C. N., Frías-Álvarez, P., Garner, T. W. J., Gratwicke, B., Guayasamin, J. M., Hirschfeld, M., ... Canessa, S. (2019). Amphibian fungal panzootic causes catastrophic and ongoing loss of biodiversity. *Science (New York, N.Y.)*, 363(6434), 1459-1463. <https://doi.org/10.1126/science.aav0379>
- Schloegel, L. M., Hero, J.-M., Berger, L., Speare, R., McDonald, K., & Daszak, P. (2006). The Decline of the Sharp-Snouted Day Frog (*Taudactylus acutirostris*): The First

- Documented Case of Extinction by Infection in a Free-Ranging Wildlife Species? *EcoHealth*, 3(1), 35-40. <https://doi.org/10.1007/s10393-005-0012-6>
- Schloegel, L. M., Toledo, L. F., Longcore, J. E., Greenspan, S. E., Vieira, C. A., Lee, M., Zhao, S., Wangen, C., Ferreira, C. M., & Hipolito, M. (2012). Novel, panzootic and hybrid genotypes of amphibian chytridiomycosis associated with the bullfrog trade. *Molecular Ecology*, 21(21), 5162-5177.
- Schmeller, D. S., Blooi, M., Martel, A., Garner, T. W. J., Fisher, M. C., Azemar, F., Clare, F. C., Leclerc, C., Jäger, L., Guevara-Nieto, M., Loyau, A., & Pasmans, F. (2014). Microscopic aquatic predators strongly affect infection dynamics of a globally emerged pathogen. *Current Biology*, 24(2), 176-180. <https://doi.org/10.1016/j.cub.2013.11.032>
- Schotthoefer, A. M., Koehler, A. V., Meteyer, C. U., & Cole, R. A. (2003). Influence of *Ribeiroia ondatrae* (Trematoda: Digenea) infection on limb development and survival of northern leopard frogs (*Rana pipiens*): effects of host stage and parasite-exposure level. *Canadian Journal of Zoology*, 81(7), 1144-1153. <https://doi.org/10.1139/z03-099>
- Searle, C. L., Mendelson, J. R., Green, L. E., & Duffy, M. A. (2013). Daphnia predation on the amphibian chytrid fungus and its impacts on disease risk in tadpoles. *Ecology and Evolution*, 3(12), 4129-4138. <https://doi.org/10.1002/ece3.777>
- Sentenac, H., Loyau, A., Leflaive, J., & Schmeller, D. S. (2022). The significance of biofilms to human, animal, plant and ecosystem health. *Functional Ecology*, 36(2), 294-313. <https://doi.org/10.1111/1365-2435.13947>
- Sewell, T. R., Longcore, J., & Fisher, M. C. (2021). *Batrachochytrium dendrobatidis*. *Trends in Parasitology*. <https://doi.org/10.1016/j.pt.2021.04.014>
- Shapard, E. J., Moss, A. S., & San Francisco, M. J. (2012). *Batrachochytrium dendrobatidis* can infect and cause mortality in the nematode *Caenorhabditis elegans*. *Mycopathologia*, 173(2-3), 121-126. <https://doi.org/10.1007/s11046-011-9470-2>
- Shin, J., Bataille, A., Kosch, T. A., & Waldman, B. (2014). Swabbing often fails to detect amphibian chytridiomycosis under conditions of low infection load. *PLoS ONE*, 9(10), Article 10. <https://doi.org/10.1371/journal.pone.0111091>
- Sigler, L., Hambleton, S., & Paré, J. A. (2013). Molecular Characterization of Reptile Pathogens Currently Known as Members of the *Chrysosporium* Anamorph of *Nannizziopsis vriesii* Complex and Relationship with Some Human-Associated Isolates. *Journal of Clinical Microbiology*, 51(10), 3338-3357. <https://doi.org/10.1128/JCM.01465-13>
- Skerratt, L. F., Berger, L., Speare, R., Cashins, S., McDonald, K. R., Phillott, A. D., Hines, H. B., & Kenyon, N. (2007). Spread of chytridiomycosis has caused the rapid global decline and extinction of frogs. *EcoHealth*, 4(2), 125.
- Smilansky, V., Jirků, M., Milner, D. S., Ibáñez, R., Gratwicke, B., Nicholls, A., Lukeš, J., Chambouvet, A., & Richards, T. A. (2021). Expanded host and geographic range of tadpole associations with the Severe Perkinsea Infection group. *Biology Letters*, 17(6), 20210166. <https://doi.org/10.1098/rsbl.2021.0166>
- Smith, K. G., & Weldon, C. (2007). A Conceptual Framework for Detecting Oral Chytridiomycosis in Tadpoles. *Copeia*, 2007(4), 1024-1028. [https://doi.org/10.1643/0045-8511\(2007\)7\[1024:ACFFDO\]2.0.CO;2](https://doi.org/10.1643/0045-8511(2007)7[1024:ACFFDO]2.0.CO;2)
- Spitzen, A., Spikmans, F., Bosman, W., Zeeuw, M., Meij, T., Goverse, E., Kik, M., Pasmans, F., & Martel, A. (2013). Rapid enigmatic decline drives the fire salamander (*Salamandra salamandra*) to the edge of extinction in the Netherlands. *Amphibia-Reptilia*, 34, 233-239. <https://doi.org/10.1163/15685381-00002891>
- Stassen, R. (2021). *Protocole d'hygiène et conseils pratiques pour la prévention de la transmission d'agents pathogènes Batrachochytrium salamandrivorans (Bsal)*,

- Batrachochytrium dendrobatidis* (Bd) et *Ranavirus* entre les populations d'amphibiens. 14.
- Stchigel, A. M., Sutton, D. A., Cano-Lira, J. F., Cabañes, F. J., Abarca, L., Tintelnor, K., Wickes, B. L., García, D., & Guarro, J. (2013). Phylogeny of chrysosporia infecting reptiles: Proposal of the new family Nannizziopsiaceae and five new species. *Persoonia - Molecular Phylogeny and Evolution of Fungi*, 31(1), 86-100. <https://doi.org/10.3767/003158513X669698>
- Stegen, G., Pasmans, F., Schmidt, B., Rouffaer, L., Praet, S., Schaub, M., Canessa, S., Laudelout, A., Kinet, T., Adriaensen, C., Haesebrouck, F., Bert, W., Bossuyt, F., & Martel, A. (2017). Drivers of salamander extirpation mediated by *Batrachochytrium salamandrivorans*. *Nature*, 544, 353. <https://doi.org/10.1038/nature22059>
- Stevens, J. R., & Duffus, A. (2019). *Emerging infectious disease threats to European herpetofauna*. 29, 189-206. <https://doi.org/10.33256/hj29.4.189206>
- Sun, P.-L., Yang, C.-K., Li, W.-T., Lai, W.-Y., Fan, Y.-C., Huang, H.-C., & Yu, P.-H. (2022). Infection with *Nannizziopsis guarroi* and *Ophidiomyces ophiodiicola* in reptiles in Taiwan. *Transboundary and Emerging Diseases*, 69(2), 764-775. <https://doi.org/10.1111/tbed.14049>
- Teacher, A. G. F., Cunningham, A. A., & Garner, T. W. J. (2010). Assessing the long-term impact of *Ranavirus* infection in wild common frog populations: Impact of *Ranavirus* on wild frog populations. *Animal Conservation*, 13(5), 514-522. <https://doi.org/10.1111/j.1469-1795.2010.00373.x>
- Tetzlaff, S. J., Ravesi, M. J., Allender, M. C., Carter, E. T., Degregorio, B. A., Josimovich, J. M., & Kingsbury, B. A. (2017). Snake fungal disease affects behavior of free-ranging massasauga rattlesnakes (*Sistrurus catenatus*). *Herpetological Conservation and Biology*, 12(3), 624-634.
- Thomas, V., Wang, Y., Van Rooij, P., Verbrugghe, E., Baláž, V., Bosch, J., Cunningham, A. A., Fisher, M. C., Garner, T. W. J., Gilbert, M. J., Grasselli, E., Kinet, T., Laudelout, A., Lötters, S., Loyau, A., Miaud, C., Salvidio, S., Schmeller, D. S., Schmidt, B. R., ... Pasmans, F. (2019). Mitigating *Batrachochytrium salamandrivorans* in Europe. *Amphibia-Reptilia*, 40(3), 265-290. <https://doi.org/10.1163/15685381-20191157>
- Thompson, N. E., Lankau, E. W., & Rogall, G. M. (2018). *Snake Fungal Disease in North America: US Geological Survey Updates* (Fact Sheet N° 2017-3064; Fact Sheet). U.S. Geological Survey.
- Tobler, U., & Schmidt, B. R. (2010). Within- and Among-Population Variation in Chytridiomycosis-Induced Mortality in the Toad *Alytes obstetricans*. *PLOS ONE*, 5(6), e10927. <https://doi.org/10.1371/journal.pone.0010927>
- Troïanowski, M., Arcanjo, C., Mondy, N., & Lengagne, T. (2015). *Bruit de trafic routier: Implications comportementales et écophysiologiques chez la rainette verte Hyla arborea*. 140.
- Troïanowski, M., Mondy, N., Dumet, A., Arcanjo, C., & Lengagne, T. (2017). Effects of traffic noise on tree frog stress levels, immunity, and color signaling. *Conservation Biology*, 31(5), 1132-1140. <https://doi.org/10.1111/cobi.12893>
- Tweedell, K. S. (1989). Herpesviruses: Interaction with Frog Renal Cells. In W. Ahne & E. Kurstak (Éds.), *Viruses of Lower Vertebrates* (p. 13-29). Springer. https://doi.org/10.1007/978-3-642-83727-2_2
- Van Rooij, P., Martel, A., D'Herde, K., Brutyn, M., Croubels, S., Ducatelle, R., Haesebrouck, F., & Pasmans, F. (2012). Germ Tube Mediated Invasion of *Batrachochytrium*

- dendrobatidis* in Amphibian Skin Is Host Dependent. *PLoS ONE*, 7(7), e41481. <https://doi.org/10.1371/journal.pone.0041481>
- Van Rooij, P., Martel, A., Haesebrouck, F., & Pasmans, F. (2015). Amphibian chytridiomycosis: A review with focus on fungus-host interactions. *Veterinary Research*, 46(1), 137. <https://doi.org/10.1186/s13567-015-0266-0>
- Verdon, J. P. (2012). *Microseismic monitoring and geomechanical modelling of CO2 storage in subsurface reservoirs*. Springer.
- Vestjens, W. J. M. (1958). Waarnemingen en infectie van *Lucilia bufonivora* in *Bufo calamita* Laur. *Entomologische Berichten*, 18(3), 38-40.
- Vivirito, K., Haynes, E., Adamovicz, L., Wright, A., Durante, K., Stanford, K., Scott, E., & Allender, M. (2021). Ultraviolet Fluorescence as a Field-Applicable Screening Tool for Lesions Consistent with Ophidiomycosis in Lake Erie Watersnakes (*Nerodia sipedon insularum*). *Journal of Wildlife Diseases*, 57(2). <https://doi.org/10.7589/JWD-D-20-00013>
- Voyles, J., Woodhams, D. C., Saenz, V., Byrne, A. Q., Perez, R., Rios-Sotelo, G., Ryan, M. J., Bletz, M. C., Sobell, F. A., McLetchie, S., Reinert, L., Rosenblum, E. B., Rollins-Smith, L. A., Ibáñez, R., Ray, J. M., Griffith, E. J., Ross, H., & Richards-Zawacki, C. L. (2018). Shifts in disease dynamics in a tropical amphibian assemblage are not due to pathogen attenuation. *Science (New York, N.Y.)*, 359(6383), 1517-1519. <https://doi.org/10.1126/science.aao4806>
- Voyles, J., Young, S., Berger, L., Campbell, C., Voyles, W. F., Dinudom, A., Cook, D., Webb, R., Alford, R. A., Skerratt, L. F., & Speare, R. (2009). Pathogenesis of Chytridiomycosis, a Cause of Catastrophic Amphibian Declines. *Science*, 326(5952), 582-585. <https://doi.org/10.1126/science.1176765>
- Vredenburg, V. T., Knapp, R. A., Tunstall, T. S., & Briggs, C. J. (2010). Dynamics of an emerging disease drive large-scale amphibian population extinctions. *Proceedings of the National Academy of Sciences*, 107(21), 9689-9694. <https://doi.org/10.1073/pnas.0914111107>
- Walke, J. B., Becker, M. H., Loftus, S. C., House, L. L., Teotonio, T. L., Minbiole, K. P. C., & Belden, L. K. (2015). Community Structure and Function of Amphibian Skin Microbes: An Experiment with Bullfrogs Exposed to a Chytrid Fungus. *PLOS ONE*, 10(10), e0139848. <https://doi.org/10.1371/journal.pone.0139848>
- Walker, S., Bosch, J., Gómez Rubio, V., Garner, T., Cunningham, A., Schmeller, D., Ninyerola, M., Henk, D., Ginestet, C., Arthur, C.-P., & Fisher, M. (2010). Factors driving pathogenicity vs. Prevalence of amphibian panzootic chytridiomycosis in Iberia. *Ecology letters*, 13, 372-382. <https://doi.org/10.1111/j.1461-0248.2009.01434.x>
- Weddeling, K., & Kordges, T. (2008). *Lucilia bufonivora*-Befall (Myiasis) bei Amphibien in Nordrhein-Westfalen – Verbreitung, Wirtsarten, Ökologie und Phänologie. 20.
- Weldon, C., Du Preez, L. H., Hyatt, A. D., Muller, R., & Speare, R. (2004). Origin of the amphibian chytrid fungus. *Emerging infectious diseases*, 10(12), 2100.
- Whatmore, A. M., Dale, E., Stubberfield, E., Muchowski, J., Koylass, M., Dawson, C., Gopaul, K. K., Perrett, L. L., Jones, M., & Lawrie, A. (2015). Isolation of *Brucella* from a White's tree frog (*Litoria caerulea*). *JMM Case Reports*, 2(1), e000017. <https://doi.org/10.1099/jmmcr.0.000017>
- Willson, S. J., Kaufman, M. G., Merritt, R. W., Williamson, H. R., Malakauskas, D. M., & Benbow, M. E. (2013). Fish and amphibians as potential reservoirs of *Mycobacterium ulcerans*, the causative agent of Buruli ulcer disease. *Infection Ecology & Epidemiology*, 3(1), 19946. <https://doi.org/10.3402/iee.v3i0.19946>

- Wood, L., Griffiths, R., Klaus, G., Engel, E., & Schley, L. (2008). Interactions between freshwater mussels and newts: A novel form of parasitism? *Amphibia-Reptilia*, 29, 457-462. <https://doi.org/10.1163/156853808786230433>
- Woodburn, D. B., Miller, A. N., Allender, M. C., Maddox, C. W., & Terio, K. A. (2019). *Emydomyces testavorans*, a New Genus and Species of Onygenalean Fungus Isolated from Shell Lesions of Freshwater Aquatic Turtles. <https://doi.org/10.1007/s12686-018-1053-9>
- Woodhams, D. C., Alford, R. A., Briggs, C. J., Johnson, M., & Rollins-Smith, L. A. (2008). Life-history trade-offs influence disease in changing climates: Strategies of an amphibian pathogen. *Ecology*, 89(6), 1627-1639. <https://doi.org/10.1890/06-1842.1>
- Wright, K. M., & Whitaker, B. R. (2001). *Amphibian medicine and captive husbandry*. Krieger Publishing Company.